

Social Choice

Joseph Chuang-Chieh Lin

Dept. CSIE, Tamkang University, Taiwan



Outline

- 1 Introduction to Social Choice
- 2 Peer-Grading in MOOCs
 - Preliminaries
 - Correctness of Recovered Pairwise Rankings



The Setting of Social Choice

Take voting scheme for example.

- A set O of **outcomes** (i.e., alternatives, candidates, etc.)
- A set A of agents s.t. each of them has a **preference** \succ over the outcomes.
- The **social choice function**: a mapping from the profiles of the preferences to a particular outcome.




Outcomes & preferences

outcomes : a, b, c, d

$d \succ b \succ a \succ c$

preferences



Preferences

- A binary relation \succsim such that
 - for every $a, b \in O$, $a \neq b$, we have either $a \succsim b$ or $b \succsim a$ but NOT both.
 - for $a, b, c \in O$, if $a \succsim b$ and $b \succsim c$, then we have $a \succsim c$.
- \preceq can be defined similarly.
 - $\preceq: \neg \succsim$



Agents with preferences

- E.g., five agents (voters).
- Each agent has its preference over four candidates $\{a, b, c, d\}$.

outcomes : a, b, c, d

$d \succ b \succ a \succ c$

preferences

d	b	a	a	a
b	c	b	c	b
a	a	c	b	c
c	d	d	d	d



Agents with preferences

- E.g., three agents (voters).
- Each agent has its preference over four candidates $\{a, b, c, d\}$.

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d




Plurality rule $\Rightarrow a$

outcomes : a, b, c, d

$d \succ b \succ a \succ c$

preferences



d	b	a	a	a
b	c	b	c	b
a	a	c	b	c
c	d	d	d	d

- Plurality rule: each agent can only give score 1 to the most preferred one and 0 to the others.



Plurality rule (contd.)

v_1	v_2	v_3
<i>d</i>	<i>b</i>	<i>a</i>
<i>b</i>	<i>c</i>	<i>b</i>
<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>d</i>

- Plurality rule: each agent can only give score 1 to the most preferred one and 0 to the others.



Plurality rule (contd.)

v_1	v_2	v_3
<i>d</i>	<i>b</i>	<i>a</i>
<i>b</i>	<i>c</i>	<i>b</i>
<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>d</i>

- Plurality rule:



Plurality rule (contd.)

v_1	v_2	v_3
<i>d</i>	<i>b</i>	<i>a</i>
<i>b</i>	<i>c</i>	<i>b</i>
<i>a</i>	<i>a</i>	<i>c</i>
<i>c</i>	<i>d</i>	<i>d</i>

- Plurality rule: depending on the tie-breaking rule.



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule:

- a vs. b
- a vs. c
- a vs. d



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule:

- a vs. $b \rightarrow b$
- a vs. $c \rightarrow a$
- a vs. $d \rightarrow a$



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule:

- c vs. a
- c vs. b
- c vs. d



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule:

- c vs. $a \rightarrow a$
- c vs. $b \rightarrow b$
- c vs. $d \rightarrow c$



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule:

- b vs. a
- b vs. c
- b vs. d



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule:
 - b vs. $a \rightarrow b$
 - b vs. $c \rightarrow b$
 - b vs. $d \rightarrow b$



Condorcet rule

v_1	v_2	v_3
d	b	a
b	c	b
a	a	c
c	d	d

- Condorcet rule: b

- b vs. $a \rightarrow b$
- b vs. $c \rightarrow b$
- b vs. $d \rightarrow b$



Borda rule

v_1	v_2	v_3
d 3	b 3	a 3
b 2	c 2	b 2
a 1	a 1	c 1
c 0	d 0	d 0

- Borda count rule:



Borda rule

v_1	v_2	v_3
d 3	b 3	a 3
b 2	c 2	b 2
a 1	a 1	c 1
c 0	d 0	d 0

- Borda count rule:

- score of a : $1 + 1 + 3 = 5$.
- score of b : $2 + 3 + 2 = 7$.
- score of c : $0 + 2 + 1 = 3$.
- score of d : $3 + 0 + 0 = 3$.



Borda rule

v_1	v_2	v_3
d 3	b 3	a 3
b 2	c 2	b 2
a 1	a 1	c 1
c 0	d 0	d 0

- Borda count rule: b .
 - score of a : $1 + 1 + 3 = 5$.
 - score of b : $2 + 3 + 2 = 7$.
 - score of c : $0 + 2 + 1 = 3$.
 - score of d : $3 + 0 + 0 = 3$.



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0

- Who is the winner by Borda counting?



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0

- Who is the winner by Borda counting? a : 6, b : 7, c : 2.



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0

- Who is the winner by Borda counting? a : 6, b : 7, c : 2.
- Condorcet principle follows?



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0

- Who is the winner by Borda counting? a : 6, b : 7, c : 2.
- Condorcet principle follows? $a \succ b$, $a \succ c$.



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0

- Who is the winner by Borda counting? a : 6, b : 7, c : 2.
- Condorcet principle follows? $a \succ b$, $a \succ c$.
- Who is the winner under the plurality rule?



Inefficiency of Borda Count

v_1	v_2	v_3	v_4	v_5
a	a	a	b	b
b	b	b	c	c
c	c	c	a	a
2	2	2	2	2
1	1	1	1	1
0	0	0	0	0

- Who is the winner by Borda counting? a : 6, b : 7, c : 2.
- Condorcet principle follows? $a \succ b$, $a \succ c$.
- Who is the winner under the plurality rule? a .



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$:



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$:



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$:



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$:



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$: d



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$: d
 - The issue: all of the agents prefer b to d !



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$: d
- Successive elimination with ordering $a \rightarrow c \rightarrow b \rightarrow d$:



Successive elimination

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$: d
- Successive elimination with ordering $a \rightarrow c \rightarrow b \rightarrow d$: b



Successive elimination (sensitive to the agenda order)

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$: d
- Successive elimination with ordering $a \rightarrow c \rightarrow b \rightarrow d$: b
- Successive elimination with ordering $b \rightarrow c \rightarrow a \rightarrow d$:



Successive elimination (sensitive to the agenda order)

v_1	v_2	v_3
b	a	c
d	b	a
c	d	b
a	c	d

- Successive elimination with ordering $a \rightarrow b \rightarrow c \rightarrow d$: d
- Successive elimination with ordering $a \rightarrow c \rightarrow b \rightarrow d$: b
- Successive elimination with ordering $b \rightarrow c \rightarrow a \rightarrow d$: a



Condorcet Winner vs. Plurality

- Let's say we have 1,000 agents each of which has a preference over three candidates A, B, C .
 - 499 agents for $A \succ B \succ C$.
 - 3 agents for $B \succ C \succ A$.
 - 498 agents for $C \succ B \succ A$.
- Who is the Condorcet winner?



Condorcet Winner vs. Plurality

- Let's say we have 1,000 agents each of which has a preference over three candidates A, B, C .
 - 499 agents for $A \succ B \succ C$.
 - 3 agents for $B \succ C \succ A$.
 - 498 agents for $C \succ B \succ A$.
- Who is the Condorcet winner? **B**.



Condorcet Winner vs. Plurality

- Let's say we have 1,000 agents each of which has a preference over three candidates A, B, C .
 - 499 agents for $A \succ B \succ C$.
 - 3 agents for $B \succ C \succ A$.
 - 498 agents for $C \succ B \succ A$.
- Who is the Condorcet winner? **B**.
- Who is the winner under the plurality rule?



Condorcet Winner vs. Plurality

- Let's say we have 1,000 agents each of which has a preference over three candidates A, B, C .
 - 499 agents for $A \succ B \succ C$.
 - 3 agents for $B \succ C \succ A$.
 - 498 agents for $C \succ B \succ A$.
- Who is the Condorcet winner? **B**.
- Who is the winner under the plurality rule? **A**.



Exercise

On Borda Count & Condorcet

We have five voters with the following preferences (ordering) over the outcomes A, B, C , and D .

- $B \succ C \succ A \succ D$.
- $B \succ D \succ C \succ A$.
- $D \succ C \succ A \succ B$.
- $A \succ D \succ B \succ C$.
- $A \succ D \succ C \succ B$.

Who is the winner by the Borda Count rule?

Who is the Condorcet winner?



Let's consider a practical application in MOOCs.



MOOCs

- MOOCs: Massive Online Open Courses
 - e.g., Coursera, EdX.



MOOCs

- MOOCs: Massive Online Open Courses
 - e.g., Coursera, EdX.
- Outsourcing the grading task to the students.



MOOCs

- MOOCs: Massive Online Open Courses
 - e.g., Coursera, EdX.
- Outsourcing the grading task to the students.
- They may have incentives to assign LOW scores to everybody else.



MOOCs

- MOOCs: Massive Online Open Courses
 - e.g., Coursera, EdX.
- Outsourcing the grading task to the students.
- They may have incentives to assign LOW scores to everybody else.
 - ▶ Ask each student to grade a SMALL number of her peers' assignments.



MOOCs

- MOOCs: Massive Online Open Courses
 - e.g., Coursera, EdX.
- Outsourcing the grading task to the students.
- They may have incentives to assign LOW scores to everybody else.
 - ▶ Ask each student to grade a SMALL number of her peers' assignments.
 - Then merge individual rankings into a global one.



Terminologies

- \mathcal{A} : universe of n elements (students).
- (n, k) -grading scheme:
a collection \mathcal{B} of size- k subsets (**bundles**) of \mathcal{A} , such that each element of \mathcal{A} belongs to exactly k subsets of \mathcal{B} .
- The **bundle graph**:
Represent the (n, k) -grading scheme with a bipartite graph.
- \prec_b : a ranking of the element b contains (partial order).



The aggregation rule

An aggregation rule:
profile of partial rankings \mapsto complete ranking of all elements.

- Borda:

SPRING FEAST 2016 BALLOT

a	LE BLE D'OR	金鼎三獎	5
b	CRYSTAL SPOON	金鼎三獎	3
c	Bei Yuan Restaurant	金鼎三獎	1
d	Tasty Steak	TASTY	2
e	Capricciosa	金鼎三獎	4

SPRING FEAST 2016 BALLOT

a	LE BLE D'OR	金鼎三獎	5
b	CRYSTAL SPOON	金鼎三獎	4
c	Bei Yuan Restaurant	金鼎三獎	2
d	Tasty Steak	TASTY	1
e	Capricciosa	金鼎三獎	3

SPRING FEAST 2016 BALLOT

a	LE BLE D'OR	金鼎三獎	4
b	CRYSTAL SPOON	金鼎三獎	5
c	Bei Yuan Restaurant	金鼎三獎	1
d	Tasty Steak	TASTY	3
e	Capricciosa	金鼎三獎	2


- a: 14; b: 12; c: 4; d: 6; e: 9.

$a \succ b \succ e \succ d \succ c$.



Order-revealing grading scheme

An aggregation rule in peer grading (Borda):




- Alice: 9; Bob: 8; Curry: 5; David: 5; Elvis: 3.
Alice \prec Bob \prec Curry \prec David \prec Elvis.

Assumption (perfect grading)

Each student grades the assignments in her bundle **consistently** to the ground truth.

Order-revealing grading scheme (contd.)




- Alice: 9; Bob: 8; Curry: 8; David: 5; Elvis: 4; Frank: 6; Green: 5; Henry: 3.

Alice \prec Bob \prec Curry \prec Frank \prec David \prec Green \prec Elvis \prec Henry.



Order-revealing grading scheme (contd.)




- Alice: 9; Bob: 8; Curry: 8; David: 5; Elvis: 4; Frank: 6; Green: 5; Henry: 3.

Alice \prec Bob \prec Curry \prec Frank \prec David \prec Green \prec Elvis \prec Henry.




The bundle graph

The bundle graph:



The bundle graph

The bundle graph:



- A random k -regular graph:

A complete bipartite $K_{n,n} \mapsto$ removing edges $\{v, v\}, \forall v \mapsto$

repeat

“draw a perfect matching uniformly at random among all perfect matchings of the remaining graph”

for k times.



The limitation on the order revealing scheme

- The property of revealing the ground truth for certain:

$$\forall x, y \in \mathcal{A}, \exists B \in \mathcal{B} \text{ such that } x, y \in B.$$



The limitation on the order revealing scheme

- The property of revealing the ground truth for certain:

$$\forall x, y \in \mathcal{A}, \exists B \in \mathcal{B} \text{ such that } x, y \in B.$$

- Suppose NO bundle contains both $x, y \in \mathcal{A}$.
- Let \prec, \prec' be two complete rankings.
 - x, y are in the first two positions in \prec, \prec' ;
 - \prec and \prec' differs only in the order of x and y .
- Clearly, partial rankings within the bundles are identical in both cases.
- No way to identify whether \prec or \prec' is the ground truth.



The limitation on the order revealing scheme

- The property of revealing the ground truth for certain:

$$\forall x, y \in \mathcal{A}, \exists B \in \mathcal{B} \text{ such that } x, y \in B.$$

- Suppose NO bundle contains both $x, y \in \mathcal{A}$.
 - Let \prec, \prec' be two complete rankings.
 - x, y are in the first two positions in \prec, \prec' ;
 - \prec and \prec' differs only in the order of x and y .
 - Clearly, partial rankings within the bundles are identical in both cases.
 - No way to identify whether \prec or \prec' is the ground truth.
- To reveal the ground truth with certainty: $k = \Omega(\sqrt{n})$.
 - $n \cdot \binom{k}{2} \geq \binom{n}{2}$.



Seeking for approximate order-revealing grading schemes

- Use a bundle graph with a very low degree k (independent of n).
- Randomly permute the elements by $\pi : U \mapsto \mathcal{A}$ before associating them to the nodes of U of the bundle graph.
- Aiming at $\frac{\text{\#correctly recovered pairwise relations}}{\binom{n}{2}}$.



The main result

Theorem (Caragiannis, Krimpas, Voudouris@AAMAS'15)

When

- Borda is applied as the aggregation rule, and
- all the partial rankings are consistent to the ground truth,

then the expected fraction of correctly recovered pairwise relations is $1 - O(1/\sqrt{k})$.



Question

- What will happen if we assign for each student only two assignments and each assignment is graded by exactly two students?

